



CABLE LENGTH	TOLERANCE *							
ALL LENGTHS	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER							
STRIP LENGTH	TOLERANCE *							
0-7mm	±0.5mm							
8-29mm	±1.0mm							
30-49mm	±2.0mm							
50-69mm	±3.0mm							
70-100mm	±4.0mm							
OVER 100mm	±5.0mm							
*UNLESS OTHERWISE SPECIFIED								

## NOTES:

REV DESCRIPTION

D UPDATE COUPLING NUT PER ECO

1. "\*" INDICATES CABLE LENGTH IN METERS. CONTACT TURCK TO ORDER SPECIFIC LENGTHS.

				RELATED  1. 2. 3. 4.	DOCUMENTS	3RD ANGLE PROJECTION	CONFIDE PROPER INC. U DOCUM WRITTEN	DRAWING IS ENTIAL AND THE ENTY OF TURCK USE OF THIS MENT WITHOUT PERMISSION IS ROHIBITED.	High Technology	Sensors and Aul			MINNEAP 1-80 (763 (763	CAMPUS I OLIS, MN 0-544-7 ) 553-73 ) 553-07 urck.com	55441 769 500
				MATERIAL			DRFT	RDS	DATE 05/20/02	DESCRIPTION	DIZ	4T ¥ 1	200 7		
TO ORDER		ORDER		SEE SPECIFICATIONS	ALL DIMENSIONS DISPLAYED ON THIS	APVD		SCALE 1=1.0		KK	4T-*-I	-5G 3	ic sm		
				DRAWING ARE FOR REFERENCE ONLY	UNIT OF MEASUREMENT			IDENTIFICATION					DD./		
				FINISH	NISH				IDENTIFICATION	NO.				REV	
				1		CONTACT TURCK FOR MORE								D	
K	MY	05/15/13	40191	SEE	SPECIFICATIONS	INFORMATION									
E	3Y	DATE	ECO NO.				D	O NOT SCALE	THIS DRAWING	FILE: 777000	)437			SHEET	1 OF 1

## SOURCE DRAWING - FOR REFERENCE ONLY